



Website Poll Results

January 2011

Which Medical Professionals do you consult regularly for you/your child's EGID? (select all that apply)

Answer	Votes (69)
Gastroenterologist	27.54% (19 votes)
Allergist	21.74% (15 votes)
Dietitian	17.39% (12 votes)
Paediatrician	10.14% (7 votes)
General Practitioner	15.94% (11 votes)
Speech Pathologist	4.35% (3 votes)
Alternative Medical Professional (eg. Naturopath)	2.9% (2 votes)
Other	0% (0 votes)

February 2011

Do you feel you have your/your child's EGID under control/well managed?

Answer	Votes (18)
Yes	33.33% (6 votes)
No	50% (9 votes)
Unsure	5.56% (1 vote)
Awaiting EGID diagnosis	11.11% (2 votes)



Website Poll Results

March 2011

Please select one answer for each issue. I feel my EGID child (or myself) has:

Answer	Votes (117)
Sleep issues - while reacting	9.4% (11 votes)
Sleep issues - all the time	8.55% (10 votes)
No sleep issues	3.42% (4 votes)
Behavioural issues - while reacting	13.68% (16 votes)
Behavioural issues - all the time	0.85% (1 vote)
No behavioural issues	5.98% (7 votes)
Sensitivity issues to light (too bright) - while reacting	1.71% (2 votes)
Sensitivity issues to light (too bright) - all the time	1.71% (2 votes)
No sensitivity issues to light	14.53% (17 votes)
Sensitivity issues to sound (too loud) - while reacting	4.27% (5 votes)
Sensitivity issues to sound (too loud) - all the time	8.55% (10 votes)
No sensitivity issues to sound	7.69% (9 votes)
Sensitivity issues to touch (too hot or cold or textures) - while reacting	6.84% (8 votes)
Sensitivity issues to touch (too hot or cold or textures) - all the time	4.27% (5 votes)
No sensitivity issues to touch	8.55% (10 votes)

April 2011

How often do you/your child undergo endoscopies?

Answer	Votes (29)
every 6-8 weeks	0% (0 votes)
3-4 times a year	13.79% (4 votes)
twice a year	6.9% (2 votes)
once a year	24.14% (7 votes)
every two years	24.14% (7 votes)
less often than every two years	6.9% (2 votes)
have only had one scope	24.14% (7 votes)



Website Poll Results

May 2011

Please select one answer for each type of test. The results of my/my child's allergy testing has been:

Answer	Votes (78)
Skin prick testing - some positive results	15.38% (12 votes)
Skin prick testing - some positive results, including severe/risk of anaphylaxis results	8.97% (7 votes)
Skin prick testing - all negative results	12.82% (10 votes)
Skin prick testing - haven't had test	1.28% (1 vote)
Atopy patch testing - some positive results	17.95% (14 votes)
Atopy patch testing - all negative results	5.13% (4 votes)
Atopy patch testing - haven't had test	6.41% (5 votes)
RAST blood testing - some positive results	8.97% (7 votes)
RAST blood testing - all negative results	7.69% (6 votes)
RAST blood testing - haven't had test	15.38% (12 votes)

June 2011

What was the average eosinophil number count from your/your child's most recent endoscopy?

Answer	Votes (24)
Clear scope/0 eosinophils	12.5% (3 votes)
5-24 eosinophils	4.17% (1 votes)
25-49 eosinophils	25% (6 votes)
50-99 eosinophils	29.17% (7 votes)
over 100 eosinophils	4.17% (1 votes)
eosinophil count not supplied	25% (6 votes)



Website Poll Results

July 2011

How far do you have to travel for you/your child's EGID specialist appointments?

Answer	Votes (25)
Less than 50km	32% (8 votes)
51 - 100 km	20% (5 votes)
101 - 200 km	16% (4 votes)
201 - 500 km	24% (6 votes)
over 501 km	8% (2 votes)

August 2011

Which medical professional do you primarily consult for your/your child's EGID treatment plan?

Answer	Votes (28)
Gastroenterologist	42.9% (12 votes)
Allergist	17.9% (5 votes)
Combination of both	32.1% (9 votes)
"Other" 1. Surgeons 2. Dietician	7.1% (2 votes)



Website Poll Results

September 2011

What age were you/your child diagnosed with EoE/EGID?

Answer	Votes (39)
Under 6 months	0% (0 votes)
7 months - 18 months	17.95% (7 votes)
19 months - 3 years	28.21% (11 votes)
4 years - 7 years	20.51% (8 votes)
8 years - 13 years	10.26% (4 votes)
14 years - 18 years	7.69% (3 votes)
Over 19 years	12.82% (5 votes)
not yet diagnosed	2.56% (1 vote)

October 2011

Have you/your child ever been on ppi reflux medication (proton pump inhibitor/acid suppressor) before an endoscopy for EoE/EGID?

Answer	Votes (29)
yes	58.6% (17 votes)
no	41.4% (12 votes)
unsure	0% (0 votes)



Website Poll Results

November 2011

Which best describes you or your child's current diet?

Answer	Votes (36)
fully elemental formula	11.11% (4 votes)
has under 5 safe foods	11.11% (4 votes)
has between 6-20 safe foods	19.44% (7 votes)
less than 5 foods removed from diet	2.78% (1 vote)
between 6-20 foods removed from diet	33.33% (12 votes)
is on top 8 elimination diet	8.33% (3 votes)
no diet restrictions	13.89% (5 votes)

December 2011

Select the gender and diagnosed EGID for your family member/s

Answer	Votes (51)
Male - eosinophilic oesophagitis	51% (26 votes)
Male - eosinophilic gastritis	0% (0 votes)
Male - eosinophilic enteritis	3.9% (2 votes)
Male - eosinophilic colitis	0% (0 votes)
Male - eosinophilic gastroenteritis	5.9% (3 votes)
Female - eosinophilic oesophagitis	33.3% (17 votes)
Female - eosinophilic gastritis	2% (1 vote)
Female - eosinophilic enteritis	2% (1 vote)
Female - eosinophilic colitis	0% (0 votes)
Female - eosinophilic gastroenteritis	2% (1 vote)